

7/1

Notice of Allowability	Application No.	Applicant(s)
	10/566,964	GIELEN, HERMAN JOHANNES GERTRUDIS
	Examiner Thuy V. Tran	Art Unit 2821

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to amendment submitted on 09/06/2007.
2. The allowed claim(s) is/are 1-6 and 8-12.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.



THUY V. TRAN
PRIMARY EXAMINER

DETAILED ACTION

This Office Action is in response to the Applicant's amendment submitted on 09/06/2007. In virtue of this amendment, claim 7 is canceled; and thus, claims 1-6 and 8-12 are now presented in the instant application.

Allowable Subject Matter

1. Claims 1-6 and 8-12 are allowed.

Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance:

Prior art fails to disclose or fairly suggest:

- A low-pressure mercury vapor discharge lamp wherein the mass of the emitter material of the one electrode being 20% lower than the average mass of the emitter material of the electrodes, in combination with the remaining claimed limitations as called for in independent claim 1(claims 2-6 and 11-12 are allowed since they are dependent on claim 1);
- A low-pressure mercury vapor discharge lamp wherein the content of barium, calcium, and/or strontium in the emitter material of the one electrode being 20% lower than the average barium, calcium or strontium content in the emitter material of the electrodes, respectively, in combination with the remaining claimed limitations as called for in independent claim 8 (claim 9 is allowed since it is dependent on claim 8); and
- A low-pressure mercury vapor discharge lamp characterized in that the one electrode is surrounded by an electrode ring, the electrode ring functioning as a cage of

Faraday, in combination with the remaining claimed limitations as called for in independent claim 10.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Drawings

3. The "Replacement Sheet" of drawings submitted on 09/06/2007 is accepted.

Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thuy V. Tran whose telephone number is (571) 272-1828. The examiner can normally be reached on M-F (8:00 AM -4:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Owens Douglas can be reached on (571) 272-1662. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.


Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

Application/Control Number:
10/566,964
Art Unit: 2821

Page 4

like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

11/20/2007



THUY V. TRAN
PRIMARY EXAMINER

Appl. No. 10/566,964
Reply to Office Action of Jun. 13, 2007
REPLACEMENT Sheet

1/3

